



CERTIFICATE OF ACCREDITATION

The ANSI National Accreditation Board

Hereby attests that

IEH Laboratories and Consulting Group

**2124 Reymet Road
North Chesterfield, VA 23237**

Fulfills the requirements of

ISO/IEC 17025:2017

In the field of

TESTING

This certificate is valid only when accompanied by a current scope of accreditation document.
The current scope of accreditation can be verified at www.anab.org.

A handwritten signature in black ink, appearing to read 'R. D. Leonard', is positioned above a horizontal line.

R. Douglas Leonard Jr., VP, PILR SBU

Expiry Date: 22 August 2024
Certificate Number: AT-2073



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory
quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).

SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

IEH Laboratories and Consulting Group

2124 Reymet Road
North Chesterfield, VA 23237

Sarah Gibson 804-482-6751
sarah.gibson@iehinc.com www.iehinc.com

TESTING

Valid to: **August 22, 2024**

Certificate Number: **AT-2073**

Microbiological

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Process Control Index	MB491.01	Food, Raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
<i>E. coli</i> O157; EHEC; STEC	MB217.01 AOAC RI PTM 100701	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey (not for STEC), mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
<i>Salmonella</i> sp.	MB217.01 AOAC RI PTM 100701	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
<i>Listeria</i> sp. and <i>L. monocytogenes</i>	MB316.01 AOAC RI PTM 021201	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
Total Coliform / <i>E. coli</i>	MB072.01 AOAC 991.14	Food and Environmental Samples	Petrifilm
<i>Staphylococcus aureus</i>	MB443.01 AOAC 2003.07; AOAC 2003.08; AOAC 2003.11	Food and Environmental Samples	Petrifilm

Microbiological

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Lactic Acid Bacteria	MB231 CMMEF, 4 th Edition	Food and Environmental Samples	Agar Plate
Yeast & Mold Count	MB074.01 CMMEF, 4 th Edition	Food and Environmental Samples	Agar Plate
Yeast & Mold Count	MB074.03 AOAC – RI PTM 051702	Food and Environmental Samples	Microfilm YMC
Aerobic Plate Count	MB073.06 AOAC – RI PTM 051702	Food and Environmental Samples	Microfilm APC
Total Coliform/ <i>E. coli</i>	MB072.04 AOAC – RI PTM 051702	Food and Environmental Samples	Microfilm TCEc
Total <i>Enterobacteriaceae</i>	MB219.02 AOAC 2003.01; FDA BAM, 8 th Ed.	Food and Environmental Samples	Petrifilm
Sample6 Listeria	MB316.04 AOAC-RI 041401	Environmental Samples	Sample6 Listeria Detect/L Assay

Note:

1. This scope is formatted as part of a single document including Certificate of Accreditation No. AT -2073.



R. Douglas Leonard Jr., VP, PILR SBU