



CERTIFICATE OF ACCREDITATION

The ANSI National Accreditation Board

Hereby attests that

IEH Laboratories and Consulting Group

300 Elizabeth Street
Green Bay, WI 54302

Fulfills the requirements of

ISO/IEC 17025:2017

In the field of

TESTING

This certificate is valid only when accompanied by a current scope of accreditation document.
The current scope of accreditation can be verified at www.anab.org.

Jason Stine, Vice President

Expiry Date: 25 August 2027

Certificate Number: AT-1475



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory
quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

IEH Laboratories and Consulting Group

300 Elizabeth Street
Green Bay, WI 54302

Laura Rentmeester 920 436 9383
laurar@iehinc.com www.iehinc.com

TESTING

ISO/IEC 17025 Accreditation Granted: **25 August 2025**

Certificate Number: **AT-1475**


Certificate Expiry Date: **25 August 2027**

Microbiological

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Process Control Index	MB491.01	Food, Raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
<i>E. coli</i> O157; EHEC; STEC	MB217.01 AOAC RI PTM 100701	Food, Raw ground beef, raw beef trim, raw poultry, RTE turkey (omitted or not for STEC), mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR system
<i>Salmonella</i> sp.	MB217.01 AOAC RI PTM 100701	Food, Raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR system
<i>Salmonella</i> sp.	MB315.01	Food, Raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR system

Microbiological

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
<i>Listeria</i> sp. and <i>L. monocytogenes</i>	MB316.01 AOAC RI PTM 021201	Food, Raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR system
Aerobic Plate Count	MB073.06 AOAC RI PTM 051702	Food	Microfilm
Total Coliform / <i>E. coli</i>	MB072.04 AOAC RI PTM 051702	Food	Microfilm
<i>Enterobacteriaceae</i>	MB219.04	Food	Microfilm
Yeast and Mold	MB074.03 AOAC RI PTM 051702	Food and Environmental Samples	Microfilm
Aerobic Plate Count	MB073.02 AOAC 990.12	Food and Environmental Samples	Petrifilm
Total Coliform / <i>E. coli</i>	MB072.01 AOAC 991.14; AOAC 998.08	Food and Environmental Samples	Petrifilm
<i>Clostridium perfringens</i>	MB218.01 CMMEF 4 th Ed.; USDA, FSIS MLG Ch. 13, 1998	Food and Environmental Samples	Pour Plate
<i>Staphylococcus aureus</i>	MB443.04 AOAC RI PTM 111703	Food	Easy Plate



Jason Stine, Vice President