



# CERTIFICATE OF ACCREDITATION

## The ANSI National Accreditation Board

Hereby attests that

**IEH Laboratories and Consulting Group**  
1780 Fowler Street  
Richland, WA 99352

Fulfils the requirements of

**ISO/IEC 17025:2017**

In the field of

**TESTING**

This certificate is valid only when accompanied by a current scope of accreditation document.  
The current scope of accreditation can be verified at [www.anab.org](http://www.anab.org).

Jason Stine, Vice President

Expiry Date: 23 October 2027

Certificate Number: AT-1999



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.  
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).

## SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

### IEH Laboratories and Consulting Group

1780 Fowler Street  
Richland, WA 99352

Jose Alcocer 509-491-3144  
[iehrichland@iehinc.com](mailto:iehrichland@iehinc.com) [www.iehinc.com](http://www.iehinc.com)

### TESTING

ISO/IEC 17025 Accreditation Granted: **19 October 2025**

Certificate Number: **AT-1999** Certificate Expiry Date: **23 October 2027**

#### Microbiological

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
<i>E. coli</i> O157, EHEC, STEC	MB217.01 AOAC-RI PTM 100701	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey (omitted or not for STEC), mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR system
<i>Salmonella</i> sp.	MB217.01 AOAC-RI PTM 100701	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR system
<i>Listeria</i> sp. and <i>L. monocytogenes</i>	MB316.01 AOAC-RI PTM 021201	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR system
<i>Listeria</i> sp.	MB316.02 AOAC Cert # 061503	Environmental / Swabs	RNA Amplification
Process Control Index	MB491.01	Food and Environmental Samples	PCR System
Aerobic Plate Count	MB073.02 AOAC 990.12	Food and Environmental Samples	Petrifilm

This Scope of Accreditation, version 011, was last updated on: 19 October 2025 and is valid only when accompanied by the Certificate.

Page 1 of 2

## Microbiological

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Aerobic Plate Count	MB073.06 AOAC-RI PTM 051702	Food and Environmental Samples	Microfilm
Total Coliform/ <i>E. coli</i>	MB072.01 AOAC 991.14 & 998.08	Food and Environmental Samples	Petrifilm
Total Coliform/ <i>E. coli</i>	MB072.04 AOAC RI-PTM 051702	Food and Environmental Samples	Microfilm
Yeast & Mold Count	MB074.03 AOAC RI-PTM 051702	Food and Environmental Samples	Microfilms
Enterobacteriaceae	MB219.04	Food and Environmental Samples	Microfilms
<i>Staphylococcus aureus</i>	MB443.01 AOAC 2003.07; AOAC 2003.08; AOAC 2003.11	Food and Environmental Samples	Petrifilm
Total Coliform/ <i>E. coli</i> by Membrane Filtration	MB706 EPA 1604, MI Medium, 2002	Water	MIM Agar Plate
Total Coliform/ <i>E. coli</i>	MB211.01 SM 9223B 22 <sup>nd</sup> , 2012	Water	Colilert
Total Coliform/ <i>E. coli</i>	MB211.02 SM 9223B 22 <sup>nd</sup> , 2012	Water	IDEXX-Multi Well MPN/100mL
Heterotrophic Plate Count	MB071.01 SM 9215 B, 22 <sup>nd</sup> Ed.	Water	Agar Plate
<i>Bacillus cereus</i> Count	MB206 BAM 8 <sup>th</sup> Ed., Ch. 14	Food and Environmental Samples	Agar Plate

Jason Stine, Vice President