



# CERTIFICATE OF ACCREDITATION

**The ANSI National Accreditation Board**

Hereby attests that

**IEH Laboratories and Consulting Group**  
**207 E. Locust St.**  
**Scottsville, KY 42164**

Fulfills the requirements of

**ISO/IEC 17025:2017**

In the field of

**TESTING**

This certificate is valid only when accompanied by a current scope of accreditation document.

The current scope of accreditation can be verified at [www.anab.org](http://www.anab.org).

Jason Stine, Vice President

Expiry Date: 03 February 2028

Certificate Number: AT-1839



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.  
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).

## SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

### IEH Laboratories and Consulting Group

207 E. Locust St.  
Scottsville, KY 42164

Larry Lee 270-239-1367  
Larry.Lee@iehinc.com iehscottsville@iehinc.com  
[www.iehinc.com](http://www.iehinc.com)

### TESTING

ISO/IEC 17025 Accreditation Granted: **26 January 2026**

Certificate Number: **AT-1839** Certificate Expiry Date: **03 February 2027**

#### Microbiological

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
<i>E. coli</i> O157, EHEC, STEC	MB217.01 AOAC-RI PTM 100701	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey (not for STEC), mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
<i>Salmonella</i> sp.	MB217.01 AOAC-RI PTM 100701	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
<i>Listeria</i> sp. and <i>L. monocytogenes</i>	MB316.01 AOAC-RI PTM 021201	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
Process Control Index	MB491.01	Food, Raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
Aerobic Plate Count	MB073.06 AOAC-RI PTM 051702	Food and Environmental Samples	Microfilm

This Scope of Accreditation, version 012, was last updated on: 26 January 2026 and is valid only when accompanied by the Certificate.

Page 1 of 2

1899 L Street NW, Suite 1100-A, Washington, DC 20036

414-501-5494  
[www.anab.org](http://www.anab.org)

## Microbiological

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Enterobacteriaceae	MB219.04 AOAC-RI PTM 051702	Food and Environmental Samples	Microfilm
Total Coliform/ <i>E. coli</i>	MB072.04 AOAC-RI PTM 051702	Food and Environmental Samples	Microfilm
Yeast & Mold Count	MB074.03 AOAC-RI PTM 051702	Food and Environmental Samples	Microfilm
Yeast Count	MB074.03 AOAC-RI PTM 051702	Food and Environmental Samples	Microfilm
Mold Count	MB074.03 AOAC-RI PTM 051702	Food and Environmental Samples	Microfilm
Coliform / <i>E. coli</i> Count	MB072.01 AOAC 991.14; AOAC 998.08	Food and Environmental Samples	Petrifilm
Aerobic Plate Count	MB073.02 AOAC 990.12	Food and Environmental Samples	Petrifilm
Yeast and Mold Count	MB074.02 AOAC 997.02	Food and Environmental Samples	Petrifilm
Lactic Acid Bacterial Count	MB231.01 CMMEF Ch.19	Food Samples	Pour Plate
<i>Staphylococcus aureus</i>	MB443.04	Food Samples	Easy Plate SA
Enterobacteriaceae	MB219.02	Food and Environmental Samples	Petrifilm



Jason Stine, Vice President