



# CERTIFICATE OF ACCREDITATION

**The ANSI National Accreditation Board**

Hereby attests that

**IEH Laboratories and Consulting Group**

**57 East Shank Road  
Brawley, CA 92227**

Fulfills the requirements of

**ISO/IEC 17025:2017**

In the field of

**TESTING**

This certificate is valid only when accompanied by a current scope of accreditation document.  
The current scope of accreditation can be verified at [www.anab.org](http://www.anab.org).

Jason Stine, Vice President

Expiry Date: 06 April 2028

Certificate Number: AT-2865



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.  
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory  
quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



## SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

### IEH Laboratories and Consulting Group

57 East Shank Road  
Brawley, CA 92227

Julio Jimenez 760-925-7653  
[iehbrawley@iehinc.com](mailto:iehbrawley@iehinc.com) [www.iehinc.com](http://www.iehinc.com)

### TESTING

ISO/IEC 17025 Accreditation Granted: **26 March 2026**


Certificate Number: **AT-2865**      Certificate Expiry Date: **06 April 2028**

#### Microbiological

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
<i>E. coli</i> O157; EHEC	MB217.01 AOAC RI PTM 100701	Food, Raw ground beef, raw beef trim, raw poultry, RTE turkey (not for STEC), mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR system
<i>Salmonella</i> sp.	MB217.01 AOAC-RI PTM 100701	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
<i>Listeria</i> sp. and <i>L. monocytogenes</i>	MB316.01 AOAC RI PTM 100701	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR system
Process Control Index	MB491.01	Food, Raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System

**Microbiological**

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Aerobic Plate Count	MB073.01 AOAC 966.23; FDA BAM Ch. 3	Food and Environmental Samples	Agar Plate
Lactic Acid Bacteria	MB231.01 CMMEF, 5 <sup>th</sup> Ed. Chapter 19	Food Samples	Agar Plate
Aerobic Plate Count	MB073.06 AOAC RI-PTM 051702	Food and Environmental Samples	Microfilm
Total Coliform / <i>E. coli</i>	MB072.04 AOAC RI-PTM 051702	Food and Environmental Samples	Microfilm
<i>Enterobacteriaceae</i> Count	MB219.04	Food and Environmental Samples	Microfilm
Total Coliform / <i>E. coli</i>	MB211.02 SM 9223B	Water	Colilert tray
Yeast and Mold Count	MB074.03 AOAC RI-PTM 051702	Food and Environmental Samples	Microfilm
Thermotolerant fecal coliform	MB072.08 CMMEF, 5 <sup>th</sup> Ed. Chapter 9	Environmental Samples	Petrifilm



Jason Stine, Vice President