



CERTIFICATE OF ACCREDITATION

The ANSI National Accreditation Board

Hereby attests that

IEH Laboratories and Consulting Group
310 N. 3rd Street
Yakima, WA 98901

Fulfills the requirements of

ISO/IEC 17025:2017

In the field of

TESTING

This certificate is valid only when accompanied by a current scope of accreditation document.
The current scope of accreditation can be verified at www.anab.org.

Jason Stine, Vice President

Expiry Date: 02 June 2028

Certificate Number: AT-1678



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory
quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).

SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

IEH Laboratories and Consulting Group

310 N. 3rd Street
Yakima, WA 98901

Jose Alcocer 509-571-1112
jose.alcocer@iehinc.com www.iehinc.com

TESTING

ISO/IEC 17025 Accreditation Granted: **26 May 2026**

Certificate Number: **AT-1678** Certificate Expiry Date: **02 June 2028**

Microbiological

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
<i>E. coli</i> O157, EHEC, STEC	MB217.01 AOAC-RI PTM 100701	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey (omitted or not for STEC), mixed leafy greens	PCR system
<i>Salmonella</i> sp.	MB217.01 AOAC-RI PTM 100701	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens	PCR system
<i>Listeria</i> sp. and <i>L. monocytogenes</i>	MB316.01 AOAC-RI PTM 021201	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR system
Process Control Index	MB491.01	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR system
<i>Enterobacteriaceae</i> Count	MB219.04	Food and Environmental samples	Microfilm
<i>Staphylococcus aureus</i>	MB443.01 AOAC 2003.07; AOAC 2003.08; AOAC 2003.11	Food	Petrifilm

This Scope of Accreditation, version 012, was last updated on: 26 May 2026 and is valid only when accompanied by the Certificate.


Page 1 of 2

Microbiological

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Aerobic Plate Count	MB073.06 AOAC – RI PTM 051702	Food and Environmental Samples	Microfilm
Yeast and Mold Count	MB074.03 AOAC – RI PTM 051702	Food and Environmental Samples	Microfilm
Total Coliform/ <i>E. coli</i>	MB072.04 AOAC - RI PTM 051702	Food and Environmental Samples	Microfilm

Chemical

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Kidney Inhibition Swab Test (Antimicrobial Drugs)	OM-159-007; OM-298-028	Kidney, Liver, Serum, and Urine	Charm KIS



Jason Stine, Vice President