



# CERTIFICATE OF ACCREDITATION

## The ANSI National Accreditation Board

Hereby attests that

### IEH Laboratories and Consulting Group

183 Bridgepoint Drive  
South St. Paul, MN 55075

Fulfills the requirements of

### ISO/IEC 17025:2017

In the field of

### TESTING

This certificate is valid only when accompanied by a current scope of accreditation document.  
The current scope of accreditation can be verified at [www.anab.org](http://www.anab.org).

Jason Stine, Vice President

Expiry Date: 25 August 2028

Certificate Number: AT-1476



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.  
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory  
quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).

## SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

### IEH Laboratories and Consulting Group

183 Bridgepoint Drive  
South St. Paul, MN 55075

Tara Carter 651 455 4891  
[tara.carter@iehinc.com](mailto:tara.carter@iehinc.com) [www.iehinc.com](http://www.iehinc.com)

### TESTING

ISO/IEC 17025 Accreditation Granted: **10 July 2026**

Certificate Number: **AT-1476** Certificate Expiry Date: **25 August 2028**

#### Microbiological

| Specific Tests and/or Properties Measured       | Specification, Standard, Method, or Test Technique | Items, Materials or Product Tested                                                                                                                    | Key Equipment or Technology |
|-------------------------------------------------|----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| <i>E. coli</i> O157; EHEC; STEC                 | MB217.01<br>AOAC RI PTM 100701                     | Food, raw ground beef, raw beef trim, raw poultry, RTE turkey (omitted or not for STEC), mixed leafy greens, nuts, green onions, fruits, swabs, water | PCR system                  |
| <i>Salmonella</i> sp.                           | MB217.01<br>AOAC RI PTM 100701                     | Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water                           | PCR system                  |
| <i>Listeria</i> sp. and <i>L. monocytogenes</i> | MB316.01<br>AOAC RI PTM 021201                     | Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water                           | PCR system                  |
| Process Control Index Testing                   | MB491.01                                           | Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water                           | PCR system                  |
| Aerobic Plate Count                             | MB073.06<br>AOAC RI PTM 051703                     | Food and Environmental Samples                                                                                                                        | Microfilm                   |

## Microbiological

| Specific Tests and/or Properties Measured | Specification, Standard, Method, or Test Technique                          | Items, Materials or Product Tested                                                                                          | Key Equipment or Technology |
|-------------------------------------------|-----------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| Total Coliform / <i>E. coli</i>           | MB072.04<br>AOAC RI PTM 051702                                              | Food and Environmental Samples                                                                                              | Microfilm                   |
| Lactic Acid Bacteria Count                | MB231<br>CMMEF, 4 <sup>th</sup> Ed.                                         | Food                                                                                                                        | Pour Plate                  |
| Yeast and Mold Count                      | MB074.03<br>FDA BAM, Ch. 18                                                 | Food and Environmental Samples                                                                                              | Microfilm                   |
| Enterobacteriaceae                        | MB219.04<br>AOAC 2003.01;<br>CMMEF, Ch. 8                                   | Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water | Microfilm                   |
| <i>Staphylococcus aureus</i>              | MB443.01<br>AOAC 2003.07;<br>AOAC 2003.08;<br>AOAC 2003.11;<br>AOAC 2001.05 | Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water | Petrifilm                   |
| Total Coliform / <i>E. coli</i>           | MB072.01<br>AOAC 991.14;<br>AOAC 998.08                                     | Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water | Petrifilm                   |
| pH                                        | CH-183.01                                                                   | Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water | pH meter                    |



Jason Stine, Vice President