



CERTIFICATE OF ACCREDITATION

The ANSI National Accreditation Board

Hereby attests that

IEH Laboratories and Consulting Group

2124 Reymet Road
North Chesterfield, VA 23237

Fulfills the requirements of

ISO/IEC 17025:2017

In the field of

TESTING

This certificate is valid only when accompanied by a current scope of accreditation document.
The current scope of accreditation can be verified at www.anab.org.

A handwritten signature in black ink, appearing to be 'J. Stine', is located on the left side of the certificate.

Jason Stine, Vice President

Expiry Date: 22 August 2028

Certificate Number: AT-2073



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory
quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).

SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

IEH Laboratories and Consulting Group

2124 Reymet Road
North Chesterfield, VA 23237

Susan Carder 804-513-1252
Susan.Carder@iehinc.com www.iehinc.com

TESTING

ISO/IEC 17025 Accreditation Granted: **24 July 2026**

Certificate Number: **AT-2073**


Certificate Expiry Date: **22 August 2028**

Microbiological

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Process Control Index	MB491.01	Food, Raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
<i>E. coli</i> O157; EHEC; STEC	MB217.01 AOAC RI PTM 100701	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey (not for STEC), mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
<i>Salmonella</i> sp.	MB217.01 AOAC RI PTM 100701	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
<i>Listeria</i> sp. and <i>L. monocytogenes</i>	MB316.01 AOAC RI PTM 021201	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
Total Coliform / <i>E. coli</i>	MB072.01 AOAC 991.14	Food and Environmental Samples	Petrifilm

Microbiological

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
<i>Staphylococcus aureus</i>	MB443.01 AOAC 2003.07; AOAC 2003.08; AOAC 2003.11	Food and Environmental Samples	Petrifilm
Lactic Acid Bacteria	MB231 CMMEF, 4 th Edition	Food and Environmental Samples	Agar Plate
Yeast & Mold Count	MB074.01 CMMEF, 4 th Edition	Food and Environmental Samples	Agar Plate
Aerobic Plate Count	MB073.01 AOAC 966.23; FDA BAM Ch. 3	Food and Environmental Samples	Agar Plate
Coliform / <i>E. coli</i> Count	MB072.02 FDA BAM Ch. 4; CMMEF 4 th Ed.	Food and Environmental Samples	Agar Plate TCeC
Yeast & Mold Count	MB074.03 AOAC – RI PTM 051702	Food and Environmental Samples	Microfilm YMC
Aerobic Plate Count	MB073.06 AOAC – RI PTM 051702	Food and Environmental Samples	Microfilm APC
Total Coliform / <i>E. coli</i> Count	MB072.04 AOAC – RI PTM 051702	Food and Environmental Samples	Microfilm TCeC
Total <i>Enterobacteriaceae</i>	MB219.02 AOAC 2003.01; FDA BAM, 8 th Ed.	Food and Environmental Samples	Petrifilm
Aerobic Plate Count	MB073.08 AOAC 990.12	Food and Environmental Samples	Petrifilm
Coliform / <i>E. coli</i> Count	MB211.02 SM 9223 B	Food and Environmental Samples	Quanti-tray/2000
Sample6 Listeria	MB316.04 AOAC-RI 041401	Environmental Samples	Sample6 Listeria Detect/L Assay



Jason Stine, Vice President