



# CERTIFICATE OF ACCREDITATION

**The ANSI National Accreditation Board**

Hereby attests that

**IEH Laboratories and Consulting Group**  
**2500 S. Good Latimer Expressway**  
**Dallas, TX 75215**

Fulfills the requirements of

**ISO/IEC 17025:2017**

In the field of

**TESTING**

This certificate is valid only when accompanied by a current scope of accreditation document.  
The current scope of accreditation can be verified at [www.anab.org](http://www.anab.org).

A handwritten signature in black ink, appearing to read 'R. Douglas Leonard Jr.', is positioned above a horizontal line.

R. Douglas Leonard Jr., VP, PILR SBU

Expiry Date: 07 November 2023

Certificate Number: AT-1584



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.  
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory  
quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).

## SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

### IEH Laboratories and Consulting Group

2500 S. Good Latimer Expressway  
Dallas, TX 75215

Daniel De La Vega 469-917-7722  
[daniel.dlv@iehinc.com](mailto:daniel.dlv@iehinc.com) [www.iehinc.com](http://www.iehinc.com)

### TESTING

Valid to: **November 7, 2023**

Certificate Number: **AT-1584**

#### Microbiological

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
<i>E. coli</i> O157, EHEC, STEC	MB217.01 AOAC-RI PTM 100701	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey (not for STEC), mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
<i>Salmonella</i> sp.	MB217.01 AOAC-RI PTM 100701	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
<i>Listeria</i> sp. and <i>L. monocytogenes</i>	MB316.01 AOAC-RI PTM 021201	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
Process Control Index	MB491.01	Food, Raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
Total Coliform/ <i>E. coli</i>	MB072.04 AOAC-RI PTM 051702	Food and Environmental Samples	Microfilm

**Microbiological**

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Aerobic Plate Count	MB073.06 AOAC-RI PTM 051702	Food, RTE foods (meats, dairy, produce, salads, cereals), raw meats, poultry, seafood, mixed leafy greens, green onions, fruits, seeds, grains, nuts and their derivatives, spices, swabs, water, animal food and feeds	Microfilm
Yeast & Mold Count	MB074.03 AOAC-RI PTM 051702	Food and Environmental Samples	Microfilm
Aerobic Plate Count	MB073.02 AOAC 990.12	Food and Environmental Samples	Petrifilm
Total Coliform / E. coli Count	MB072.01 AOAC 991.14, 998.08	Food and Environmental Samples	Petrifilm
Yeast and Mold Count	MB074.02 AOAC 997.02	Food and Environmental Samples	Petrifilm

Note:

1. This scope is formatted as part of a single document including Certificate of Accreditation No. AT -1584.



R. Douglas Leonard Jr., VP, PILR SBU