

# CERTIFICATE OF ACCREDITATION

# The ANSI National Accreditation Board

Hereby attests that

# **IEH Laboratories and Consulting Group**

176 E. Reynolds Road Lexington, KY 40517

Fulfills the requirements of

**ISO/IEC 17025:2017** 

In the field of

## **TESTING**

This certificate is valid only when accompanied by a current scope of accreditation document. The current scope of accreditation can be verified at <a href="www.anab.org">www.anab.org</a>.

R. Douglas Leonard Jr., VP, PILR SBU

Expiry Date: 13 September 2024 Certificate Number: AT-1719





### SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

## **IEH Laboratories and Consulting Group**

176 E. Reynolds Road Lexington, KY 40517

Mark Grupke 859-447-8971 www.iehinc.com

### **TESTING**

Valid to: September 13,2024 Certificate Number: AT-1719

#### Microbiological


Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
E. coli O157; EHEC; STEC	MB217.01 AOAC RI PTM 100701	Food and Environmental Samples	PCR System
Salmonella sp.	MB217.01 AOAC RI PTM 100701	Food and Environmental Samples	PCR System
Process Control Index	MB491.01	Food and Environmental Samples	PCR System
Listeria sp.	MB316.01 AOAC RI PTM 021201	Food and Environmental Samples	PCR System
Aerobic Plate Count	MB073.01 AOAC 966.23; FDA BAM Ch.3	Food and Environmental Samples	Agar Plate
Aerobic Plate Count	MB073.06 AOAC RI PTM 051702	Food and Environmental Samples	Microfilm
Total Coliform / E. coli	MB072.04 AOAC RI PTM 051702	Food and Environmental Samples	Microfilm
Yeast & Mold Count	MB074.03 AOAC RI PTM 051702	Food and Environmental Samples	Microfilm
Staphylococcus aureus	MB443.01 AOAC 2003.07; AOAC 2003.08: AOAC 2003.11	Food and Environmental Samples	Petrifilm





#### Note:

1. This scope is formatted as part of a single document including Certificate of Accreditation No. AT -1719.



R. Douglas Leonard Jr., VP, PILR SBU

